

2022 Consumer Confidence Report Circle Oaks County Water District

2022

The Circle Oaks County Water District routinely monitors for contaminates in your drinking water according to federal and state requirements. We are pleased to report that our drinking water is safe and meets all federal and state requirements.

Circle Oaks County Water District works around the clock to provide top quality water to every tap. We ask that all our consumers help us protect our water sources, which are the heart of our community, our way of life, and our children's future. For the safely of the public and the water sources no trespassing will be tolerated on any district property or facilities. This is to include the well sites, springs, treatment plant, piping, and fire hydrants. Please report and concerns, unusual activity, or trespassing to the District Office or the Napa County Sheriff.

We want our customers to be informed about their water utility. If you wish to learn more, please attend any of our regularly scheduled Board of Directors Meetings. The Board normally holds meetings on the 2nd Tuesday of every month at 6:00pm.

All meetings convene in the Circle Oaks Water District Office at: 380 Circle Oaks Dr. Napa, Ca 94558.

District business such as billing, payments, permits, policies, ordinances, and other general administrative matters may be addressed by calling Paul Quarneri at the district office, (707) 254-7796.

Este informe contiene informacion muy importante sobre su agua potable. Traduzaco o hable con Alguien que to entienda bien.

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μ g/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

Turbidity: (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban storm-water runoff, industrial or domestic waste-water discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm-water runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the number of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Table 1 shows the most recent testing results for the contaminants residents are most concerned about in our treated water.

TABLE 1.A – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER IN DRINKING WATER								
Lead and Copper	Date	No. of samples collected	90 th percentile level detected	No. sites exceedin g AL	AL	PHG	Typical Source of Contaminant	
Lead (ppb)	07/15/20	10	0 ug/L	0	15 ug/L	2 ug/L	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	
Copper (ppm)	07/15/20	10	0.84 ug/L	0	1300 ug/L	300 ug/L	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
ТА	TABLE 1.B-SAMPLING RESULTS SHOWING THE DETECTION OF HAA5S & TTHMS							
HAA5 & TTHM	Sampl	e Date	Level Detected		MCL		Typical Source of Contaminant	
HAA5	6-17-	2021	0 ug/L		0 00		HAA5s are produced by a reaction between disinfectants and organic materials. HAA5s tend to be higher in water collected from surface sources likes lakes or rivers	
TTHM	6-09-	2021	0 ug/L		80 ug/L		TTHMs are produced by a reaction between disinfectants and organic materials. HAA5s tend to be higher in water collected from surface sources likes lakes or rivers	

Tables 2, 3, 4, 5, 7, and 8 list all of the raw water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk.

TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF CRUCIFORM BACTERIA								
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MCL	MCLG		Typical Source of Bacteria		
Total Coliform Bacteria	0	0	More than 1 sample in a month with a detection				rally present in the conment	
Fecal Coliform or <i>E. coli</i>	0	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>	0	0 Hu		Human and animal fecal waste	
TABLE	3 – SAMPLI	NG RESULTS I	FOR SODIUM AND HARDNE	SS IN R	AW WAT	TER S	OURCES	
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHC (MCL	-	Typical Source of Contaminant	
Sodium (ppm)	05/20/22	11	NA	none	non	e	Salt present in the water and is generally naturally occurring	
Hardness (ppm)	5/20/22	85	NA	none	non	e	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring	

TABLE 4 – DETECTION OF CONTAMINANTS IN RAW WATER SOURCES WITH A <u>PRIMARY</u> DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Arsenic (ppb)	5/20/22	7.9	NA	10	N/A	Erosion from natural deposits.

TABLE 5 – DETECTION O	F CONTAM	INANTS IN RAW	WATER SOURCE	ES WITH A	SECONDAR	<u>Y</u> DRINKING WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
*Iron (ppb)	5/20/22	15000	N/A	300	N/A	Leaching from natural deposits.
Sulfate (ppm)	5/20/22	25	N/A	500	N/A	Runoff/leaching from natural deposits.
Total Dissolved Solids (ppm)	5/20/22	210	N/A	1000	N/A	Runoff/leaching from natural deposits.
*Color (units)	5/20/22	150	N/A	15	N/A	Naturally occurring organic material
*Manganese (ppb)	5/20/22	730	N/A	50	N/A	Leaching from natural deposits.
Specific Conductance (umhos)	5/20/22	250	N/A	1600	N/A	Substances that form iron when in water; seawater influence.
*Odor Threshold (TON)	5/20/22	4	N/A	3	N/A	Naturally occurring organic material
*Turbidity (NTU)	5/20/22	220	N/A	5	N/A	Soil Runoff or concentrated minerals
	TABI	LE 6 – DETECTI	ON OF UNREGUL	ATED CON	TAMINANT	S
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level		Health Effects Language
None						

*Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

TABLE 7 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES

Treatment Technique ^(a) (Type of approved filtration technology used)	Conventional Filtration				
Turbidity Performance Standards ^(b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 - Be less than or equal to 0.3 NTU in 95% of measurements in a month. $2 - Not exceed 1.0 NTU for more than eight consecutive hours. 3 - Not exceed 5.0 NTU at any time.$				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	100.00%				
Number of violations of any surface water treatment requirements	0				

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Iron, Color, Manganese, Odor Threshold, and Turbidity exceeded the MCL limits. These samples are collected from the Raw Water Source before any treatment. The treatment process is designed to substantially reduce these products in the finished water. There are no PHGs, MCLGs, or mandatory standard health effects language for constituents with secondary drinking water standards because secondary MCLs are set on the basis of aesthetics

Raw Water Asterisked Secondary Chemicals or Contaminates

Chemical or contaminate	Post filtration value	Explanation
Iron	ND	Because our raw water is provided by underground water which has a large amount of iron naturally occurring in it. Although the raw, or "pre-treated" water has large amounts of iron, the filtration process we use removes a large majority if not all of this contaminate. After treatment the water being produced by our plant has an iron level well below MCL regulation.
Manganese	ND	Because our raw water is provided by underground water a large amount of naturally-occurring minerals, one of which being manganese may be washed into our raw or "pre-treated" water. After treatment the water being produced by our plant has a manganese level well below MCL regulation.
Turbidity	< 0.3 Range 0.03-0.30 Average 0.08	Turbidity is generally caused by the stirring up of contaminates like silt, dirt, and minerals during rain or when pumping/moving water. Although the turbidity is high during raw water testing, after treatment, the water being produced by our plant has turbidity well below MCL regulation.
Color	ND	Because our raw water is provided by underground water a large amount of naturally-occurring minerals, may be washed into our raw or "pre-treated" water, causing color in the pre-treated water. After treatment there is no detectable color.
Odor	ND	Because our raw water is provided by underground water a large amount of naturally-occurring minerals, may be washed into our raw or "pre-treated" water, metallic odors in the pre-treated water. After treatment there is no detectable odor.